

Auswirkungen der intrapartalen Oxytociingabe auf Mutter und Kind

Hebammenforum 6/2020; 21: 42–46

- 1 Carter CS: The Oxytocin-Vasopressin Pathway in the Context of Love and Fear. *Frontiers in Endocrinology* 2017; 8: 356
- 2 Coad J, Dunstall M: Anatomie und Physiologie für die Geburtshilfe. Urban & Fischer 2007
- 3 Schneider H, Helmer H, Husslein P: Physiologie und Pathologie des Geburtsbeginns. In: Schneider H, Husslein P, Schneider KTM (Hrsg.): Die Geburtshilfe. Springer, 5. Aufl. 2016
- 4 American College of Obstetricians and Gynecologists: ACOG Practice Bulletin No. 107: Induction of labor. *Obstet Gynecol* 2009; 114: 386–397
- 5 Schweizerische Gesellschaft für Gynäkologie und Geburtshilfe: Expertenbrief No 26: Aktuelle Therapieoptionen der postpartalen Hämmorrhagie. 2012
- 6 Caughey AB, Cahill AG, Guise JM, Rouse DJ: Safe prevention of the primary cesarean delivery. *Am J Obstet Gynecol* 2014; 210: 179–193
- 7 Hopp H, Kalache, K: Pathologische Geburt und vaginaloperative Entbindung. In: Schneider H, Husslein P, Schneider KTM (Hrsg.): Die Geburtshilfe. Springer, 5. Aufl. 2016
- 8 National Institute for Health and Care Excellence: Intrapartum care for healthy women and babies. 2017
- 9 Frey HA, Tuuli MG, England SK et al.: Factors associated with higher oxytocin requirements in labor. *J Matern Fetal Neonatal Med* 2015; 28: 1614–1619
- 10 Qian W, Zhu T, Tang B et al.: Decreased circulating levels of oxytocin in obesity and newly diagnosed type 2 diabetic patients. *J Clin Endocrinol Metab* 2014; 99: 4683–4689
- 11 Kauffman E, Souter VL, Katon JG, Sitcov K: Cervical dilation on admission in term spontaneous labor and maternal and newborn outcomes. *Obstet Gynecol* 2016; 127: 481–488
- 12 Petersen A, Poetter U, Michelsen C, Gross MM: The sequence of intrapartum interventions: A descriptive approach to the cascade of interventions. *Arch Gynecol Obstet* 2013; 288: 245–254
- 13 Mylan Pharma: Produktinformation Syntocinon. 2018. <https://compendium.ch/product/18906-syntocinon-inj-inf-prap-5-ie> (Zugriff 9.5.19)
- 14 Bell AF, Erickson EN, Carter CS: Beyond labor: The role of natural and synthetic oxytocin in the transition to motherhood. *J Midwifery Womens Health* 2014; 59: 35–42
- 15 Mutschler E, Geisslinger G, Kroemer HK, Menzel S, Ruth P: Mutschler Arzneimittelwirkungen. Lehrbuch der Pharmakologie, der klinischen Pharmakologie und Toxikologie. Wissenschaftliche Verlagsgesellschaft Stuttgart, 10. Aufl. 2012
- 16 Friese K, Mörike K, Neumann G, Windorfer A: Arzneimittel in der Schwangerschaft und Stillzeit. Ein Leitfaden für Ärzte und Apotheker. Wissenschaftliche Verlagsgesellschaft Stuttgart, 8. Aufl. 2016
- 17 Akoury HA, MacDonald FJ, Brodie G, Caddick R, Chaudhry NM, Frize M: Oxytocin augmentation of labor and perinatal outcome in nulliparas. *Obstet Gynecol* 1991; 78: 227–230
- 18 Bugg GJ, Stanley E, Baker PN, Taggart MJ, Johnston TA: Outcomes of labours augmented with oxytocin. *Eur J Obstet Gynecol Reprod Biol* 2006; 124: 37–41
- 19 Svärdby K, Nordström L, Sellström E: Primiparas with or without oxytocin augmentation: A prospective descriptive study. *J Clin Nurs* 2007; 16: 179–184
- 20 Bernitz S, Øian P, Rolland R, Sandvik L, Blix E: Oxytocin and dystocia as risk factors for adverse birth outcomes: A cohort of low-risk nulliparous women. *Midwifery* 2014; 30: 364–370
- 21 Hidalgo-Lopezosa P, Hidalgo-Maestre M, Rodríguez-Borrego MA: Labor stimulation with oxytocin: Effects on obstetrical and neonatal outcomes. *Rev Lat Am Enfermagem* 2016; 24: e2744
- 22 Brimdyr K, Cadwell K, Widström AM et al.: The Association Between Common Labor Drugs and Suckling When Skin-to-Skin During the First Hour After Birth. *Birth* 2015; 42: 319–328
- 23 Oscarsson ME, Amer-Wahlin I, Rydhstroem H, Kallen K: Outcome in obstetric care related to oxytocin use: A population-based study. *Acta Obstet Gynecol* 2006; 85: 1094–1098
- 24 Rygh AB, Skjeldestad FE, Körner H, Eggebø TM: Assessing the association of oxytocin augmentation with obstetric anal sphincter injury in nulliparous women: A population-based, case-control study. *BMJ Open* 2014; 4: e004592
- 25 Gu V, Feeley N, Gold I et al.: Intrapartum synthetic oxytocin and its effects on maternal well-being at 2 months postpartum. *Birth* 2016; 43: 28–35
- 26 Tracy SK, Sullivan E, Wang YA, Black D, Tracy M: Birth outcomes associated with interventions in labour amongst low risk women: A population-based study. *Women Birth* 2007; 20: 41–38
- 27 Uvnäs-Moberg K: Oxytocin, das Hormon der Nähe: Gesundheit – Wohlbefinden – Beziehung. Springer Spektrum 2016
- 28 American College of Obstetricians and Gynecologists: Committee Opinion No. 687: Approaches to Limit Interventions During Labor and Birth. *Obstet Gynecol* 2017; 129: e20–e28
- 29 Tocher JM: In: Mander R (Hrsg.): Pain in childbearing and its control: Key issues for midwives and women. Wiley-Blackwell, 2. Aufl. 2011

- 30 Stadelmann I: Die Hebammensprechstunde. Stadelmann Verlag, 2. Aufl. 2005
- 31 Dick-Read G: Childbirth without fear: The principles and practice of natural childbirth. Pinter & Martin 2013
- 32 Uvnäs-Moberg K, Ekström-Bergström A, Berg M et al.: Maternal plasma levels of oxytocin during physiological childbirth: A systematic review with implications for uterine contractions and central actions of oxytocin. *BMC Pregnancy and Childbirth* 2019; 19: 285
- 33 Ekelin M, Svensson J, Evehammar S, Kvist LJ: Sense and sensibility: Swedish midwives' ambiguity to the use of synthetic oxytocin for labour augmentation. *Midwifery* 2015; 31: e36–42
- 34 Wiklund I, Wallin J, Vikström M, Ransjö-Arvídsdóttir AB: Swedish midwives' rating of risks during labour progress and their attitudes toward performing intrapartum interventions: A web-based survey. *Midwifery* 2012, 28: E456–460
- 35 Gagnon AJ, Waghorn K, Covell C: A randomized trial of one-to-one nurse support of women in labor. *Birth* 1997; 24: 71–77
- 36 Oladapo OT, Diaz V, Bonet M et al.: Cervical dilatation patterns of ‚low-risk‘ women with spontaneous labour and normal perinatal outcomes: A systematic review. *BJOG* 2018; 125: 944–954
- 37 Olza Fernandez I, Marin Gabriel M, Malalana Martinez A, Fernandez-Canadas Morillo A, Lopez Sanchez F, Costarelli V: Newborn feeding behaviour depressed by intrapartum oxytocin: a pilot study. *Acta Paediatr* 2012; 101: 749–754
- 38 Henshaw EJ, Fried R, Siskind E, Newhouse L, Cooper M: Breastfeeding self-efficacy, mood, and breastfeeding outcomes among primiparous women. *J Hum Lact* 2015; 31: 511–518
- 39 Schaefer C, Spielmann H, Vetter K, Weber-Schöndorfer C: Arzneimittel in Schwangerschaft und Stillzeit. Urban & Fischer, 8. Aufl. 2012
- 40 Stokholm L, Juhl M, Lønfeldt NN, Mikkelsen SH, Obel C, Strandberg-Larsen K: Obstetric synthetic oxytocin use and subsequent hyperactivity/inattention problems in Danish children. *Acta Obstet Gynecol Scand* 2018; 97: 880–889
- 41 González-Valenzuela MJ, López-Montiel D, González-Mesa ES: Exposure to synthetic oxytocin during delivery and its effect on psychomotor development. *Dev Psychobiol* 2015; 57: 908–920
- 42 Freedman D, Brown AS, Shen L, Schaefer CA: Perinatal oxytocin increases the risk of offspring bipolar disorder and childhood cognitive impairment. *J Affect Disord* 2015; 173: 65–72
- 43 Kurth L, Haussmann R: Perinatal Pitocin as an early ADHD biomarker: neurodevelopmental risk? *J Atten Disord* 2011; 15: 423–431