

Wie man sich vor Zecken schützt

Hebammenforum 2015; 16: 227-229

- 1 Aberer E: What should one do in case of a tick bite? Curr Prob Dermatol 2009; 37: 155-66.
- 2 Borreliose und FSME Bund, Zeckenstich was tun? Abgerufen am 27.3.2014 von: www.bfbd.de/de/zeckenstich-was-nun.html
- 3 Armed Forces Pest Management Board. Personal protective measures against insects and other arthropods of military significance. Technical Guide No. 36, Washington, DC 2009. Abgerufen am 27.3.2014 von: www.afpmb.org/sites/default/files/pubs/techguides/tg36.pdf
- 4 Bartosik K, Sitarz M, Szymanska J, Buczek A: Tick bites on humans in the agricultural and recreational areas in South-Eastern Poland. Ann Agr Environ Med 2011; 18: 151-7.
- 5 Bente DA, Forester NL, Watts DM, McAuley AJ, Whitehouse CA, Bray M: Crimean-Congo hemorrhagic fever: history, epidemiology, pathogenesis, clinical syndrome and genetic diversity. Antiviral Res 2013; DOI: pii: S0166-3542(13)00193-9. 10.1016/j.antiviral.2013.07.006
- 6 Bingsohn L, Beckert A, Zehner R, Kuch U, Oehme R, Kraiczy P, Amendt J: Prevalences of tick-borne encephalitis virus and borrelia burgdorferi sensu lato in ixodes ricinus populations of the Rhine-Main region, Germany. Ticks and Tickb Dis 2013; 4: 207-13.
- 7 Bratton R, Whiteside J, Hovan M, Engle R, Edwards F: Diagnosis and treatment of lyme disease. Mayo Clin Proc 2008; 83: 566-71.
- 8 Briciu V, Titilincu A, Tatulescu D, Carstina D, Lefkaditis M, Mihalca A: First survey on hard ticks (Ixodidae) collected from humans in Romania: possible risks for tick-borne diseases. Exp Appl Acarol 2011; 54: 199-204.
- 9 Brown L, Medlock J, Murray V: Impact of drought on vector-borne diseases – how does one manage the risk? Public Health 2014; 128 : 29-37.
- 10 Bursali A, Tekin S, Keskin A, Ekici M, Dundar E: Species diversity of ixodid ticks feeding on humans in Amasya, Turkey: seasonal abundance and presence of Crimean-Congo hemorrhagic fever virus. J Med Entomol 2011; 48: 85-93.
- 11 Carroll JF, Solberg VB, Klun JA, Kramer M, Debboun M: Comparative activity of deet and AI3-37220 repellents against the ticks *Ixodes scapularis* and *amblyomma americanum* (Acari: Ixodidae) in laboratory bioassays. J Med Entomol 2004; 41: 249-54.
- 12 Centers for Disease Control. Geographic Distribution of Ticks in the US. Zugriff am 27.3.2014 auf: www.cdc.gov/ticks/geographic_distribution.html
- 13 Centers for Disease Control. Ehrlichiosis. Zugriff am 12.12.2013 auf: www.cdc.gov/ehrlichiosis/
- 14 Clark R, Hu L: Prevention of Lyme Disease (and other tick borne infections). Infect Dis Clin North Am 2008; 22: 381-94.
- 15 Clinical Directors Network. Recognizing and treating tick-borne diseases (Webinar), Zugriff auf: www.cdnetwork.org/NewCDN/LibraryView.aspx?ID=cdn552a
- 16 Coipan EC, Jahfari S, Fonville M, Maassen CB, van der Giessen J, Takken W, Takumi K, Sprong H: Spatiotemporal dynamics of emerging pathogens in questing *Ixodes ricinus*. Front Cell Infect Microbiol 2013; 3: 36.
- 17 Crippa M, Rais O, Gern L: Investigations on the mode and dynamics of transmission and infectivity of *Borrelia burgdorferi* sensu strictu and *Borrelia afzelii* in *Ixodes ricinus* ticks. Vector Borne Zoo Diseases 2002; 2: 3-9.
- 18 Cutler SJ, Abdissa A, Trape JF: New concepts for the old challenge of African relapsing fever borreliosis. Clin Microbiol Infect 2009; 15: 400-6.
- 19 Dante-Torres F, Chomel F, Otranto D: Ticks and tick-borne diseases: a one-health perspective. Trends in Parasitol 2012; 28: 437-46.
- 20 Dobler G: Zoonotic tick-borne flaviviruses. Vet Microbiol 2010; 140: 221-8.
- 21 Dobler G, Wölfel R: Fleckfieber und andere Rickettsiosen: Alte und neu auftretende Infektionen in Deutschland. Dtsch Arztebl Int 2009; 106(20): 348-54.
- 22 Dworkin M, Schwan T, Anderson D, Borchardt S: Tick-borne relapsing fever Infect Dis CLin N Am 2008; 22: 449-68.
- 23 Ebel GD: Update on Powassan virus: emergence of a North American tick-borne flavivirus. Ann Rev Entomol 2010; 55: 95-110.
- 24 European Center for Disease Control 2012 (ECDC): Epidemiologic situation of tick-borne encephalitis in the European Union and European Free Trade Countries. Stockholm 2012. Abgerufen am 25.3.2014 von: www.ecdc.europa.eu/en/publications/Publications/TBE-in-EU-EFTA.pdf
- 25 European Center for Disease Control 2014 (ECDC): Communication toolkit on tick-borne diseases. Zugriff am 25.3.2014 auf: http://ecdc.europa.eu/en/healthtopics/emerging_and_vectorborne_diseases/tick_borne_diseases/public_health_measures/Pages/communication_toolkit.aspx
- 26 European Union Concerted: Action on Lyme Borreliosis (EUCALB), 2014. www.eu calb.com/
- 27 Faulde MK, Uedelhoven WM: A new clothing impregnation method for personal protection against ticks and biting insects. Int J Med Microbiol 2006; 296 Suppl 40: 225-9.
- 28 Faulde M, Scharninghausen J, Tisch M: Preventive effect of permethrin-impregnated clothing to *Ixodes ricinus* ticks and associated *Borrelia burgdorferi* s.l. in Germany. Int J Med Micro 2008; 298 (Suppl 1): 321-4.
- 29 Fernández de Mera IG, Ruiz-Fons F, de la Fuente G, Mangold AJ, Gortázar C, de la Fuente J: Spotted fever group rickettsiae in questing ticks, central Spain. Emerg Infect Dis 2013; 19: 130005. <http://dx.doi.org/10.3201/eid1907.130005>
- 30 Fingerle V, Klier C, Liebl B, Sind A, Wildner M, Wilske B: Lyme Borreliose: Wissenswertes zum Vektor und die mikrobiologische Diagnostik. Mikrobiologie 2011; 21: 83-92.
- 31 Frean J, Blumberg L, Ogunbanjo GA: Tick bite fever in South Africa. SA Fam Pract 2008; 50: 33-5.
- 32 Gern L: Life Cycle of *Borrelia burgdorferi* sensu lato and transmission to humans. In: Lyme Borreliosis (eds. D Lisker & B Jaulhac). Curr Problems Dermatol 2009, 39, 18-30. Basel, Karger 2009
- 33 Gigandet L, Stauffer E, Douet V, Rais O, Moret J, Gern L: Prevalence of three zoonotic babesia species in *Ixodes ricinus* (Linné, 1758) nymphs in a

- suburban forest in Switzerland. *Vec BorneZoo Dis* 2011; 11: 363-6.
- 34 Goodyer L, Croft AM, Frances S, Hill N, Moore SJ, Onyango SP, Debboun M: Expert review of the evidence base for arthropod bite avoidance. *J Trav Med* 2010; 17: 182-92.
- 35 Gray JS, Dautel H, Estrada-Pena A, Kahl O, Lindgren E: Effects of climate change on ticks and tick-borne diseases in Europe. *Interdis Perspect Infect Dis* 2009; DOI: 10.1155/2009/593232
- 36 Gray J, Zintl A, Hildebrandt A, Hunfeld K, Weiss L: Zoonotic babesiosis. Overview of the disease and voel aspects of pathogen identity. *Ticks & Tickborne Dis* 2010; 1: 3-10.
- 37 Gunduz A, Turkmen S, Turedi S, Nuhoglu I, Topphbas M: Tick attachment site. *Wildern Envrion Med* 2008; 19: 4-6.
- 38 Halos L, Bord S, Cotté V, Gasqui P, Abrial D, Barnouin J, Boulouis HJ, Vayssier-Taussat M, Vourc'h G: Ecological factors characterizing the prevalence of bacterial tick-borne pathogens in *Ixodes ricinus* ticks in pastures and woodlands. *PLoS One* 2013; 8: e54476.
- 39 Hekimoglu O, Ozer N, Ergunay K, Ozkul A: Species distribution and detection of Crimean Congo Hemorrhagic fever virus (CCHFV) in field-collected ticks in Ankara Province, Central Anatolia, Turkey. *Exp Appl Acarol* 2012; 56: 75-84.
- 40 Hornok S, Meli M, Gönczi E, Hofmann-Lehmann R: First evidence of *candidatus neoehrlichia mikurensis* in Hungary. *Parasit Vectors* 2013; 17; 6: 267.
- 41 Hojgaard A, Eisen R, Piesman J: Transmission dynamics of *Borrelia burgdorferi* s.s. during the key third day of feeding by nymphal *Ixodes scapularis* (Acari: Ixodidae). *J Med Entomol* 2008; 45: 732-6.
- 42 Hubalek Z: Epidemiology of Lyme borreliosis. *Curr Prob Dermatol* 2009; 37: 31-50.
- 43 Hubalek Z, Rudolf I: Tick-borne viruses in Europe. *Parasitol Res* 2012; 111: 9-36.
- 44 Hügli D, Moret J, Rais O, Moosmann Y, Erard P, Malinvernri R, Gern L: Tick bites in Lyme borrelioses highly endemic areas in Switzerland. *Int J Med Microbiol* 2009; 299: 155-60.
- 45 Jaenson TGT, Hjertqvist M, Bergström T, Lundkvist AO: Why is tick-borne encephalitis increasing? A review of the key factors causing the increasing incidence of human TBE in Sweden. *Parasit Vectors* 2012; 5: 184.
- 46 Jaenson TGT, Jaenson DGE, Eisen L, Petersson E, Lindgren E: Changes in the geographical distribution and abundance of the tick *Ixodes ricinus* during the past 30 years in Sweden. *Parasite Vectors* 2012; 5: 8.
- 47 Jensenius M, Forunier P, Vene S et al.: African Tick Bite fever in travelers to Rural Sub-Equatorial Africa. *Clin Infect Dis* 2003; 36: 1411-7.
- 48 Jensenius M, Fournier P, Raoult D: Rickettsioses and the international traveler. *Clin Infect Dis* 2004; 39: 1493-9.
- 49 Jensenius M, Parola P, Raoult D: Threats to international travellers posed by tick-borne diseases. *Trav Med & Infect Dis* 2006; 4: 4-13.
- 50 Jensenius M, Pretorius M, Clarke F, Myrvang B: Repellent efficacy of four commercial DEET lotions against *Amblyomma hebraeum* (Acari: Ixodidae), the principal vector of *Rickettsia africae* in southern Africa. *Trans R Soc Trop Med Hyg* 2005; 99: 708-11.
- 51 Kahl O, Dautel H: Zeckenwetter. Tick Radar. Zugriff am 27.3.2014 auf: www.zeckenwetter.de/zeckenwetter/prognose/index.php
- 52 Kaiser R, Fingerle V, Hofmann H, Krause A: Aktuelle Aspekte zur Lyme-Borreliose. *Arbeitsmed Sozialmed Umweltmed* 2011; 46: 426-37.
- 53 Kalanin GV: Fauna of ixodid ticks of the world (Acari, Ixodida). Moscow 2009, Zugriff 27.3.2014: www.kolonin.org/1.html
- 54 Kar S, Dervis E, Akin O, Ergonul O, Gargili: Preferences of different tick species for human hosts in Turkey. *Exp Appl Acarol* 2013;
- 55 Knauer J, Krupka I, Fueldner C, Lehmann J, Straubinger RK: Evaluation of the preventive capacities of a topically applied azithromycin formulation against Lyme borreliosis in a murine model. *J Antimicrob Chemother* 2011; 66: 2814-22.
- 56 Lindgren E, Jaenson T: Lyme borreliosis in Europe: influences of climate and climate change, epidemiology, ecology and adaptation measures. WHO Copenhagen 2006, Zugriff am 27.3.2014 auf: www.euro.who.int/document/e89522.pdf
- 57 Lindquist L, Vapalahti O: Tick-borne encephalitis. *The Lancet* 2008; 371: 1861-71.
- 58 Lomanno E, Bertaiola L, Dupasquier C, Gern L: Infections and coinfections of questing *Ixodes ricinus* ticks by emerging zoonotic pathogens in Western Switzerland. *Appl Environ Microbiol* 2012; 78: 4606-12.
- 59 Lorusso V, Gruszka KA, Majekodunmi A, Igweh A, Welburn S, Picozzi K: *Rickettsia africae* in amblyomma variegatum ticks, Uganda and Nigeria [letter]. *Emerg Infect Dis* 2013 Oct, <http://dx.doi.org/10.3201/eid1910.130389>
- 60 Lupi E, Hatz C, Schlagenhauf P: The efficacy of repellents against aedes, anopheles, culex and *Ixodes* spp. – A literature review. *Travel Med Infect Dis* 2013; DOI: pii: S1477-8939(13)00173-7.10.1016/j.tmaid.2013.10.005
- 61 MacGarry JW: Travel and disease vector ticks. *Trav Med & Infect Dis* 2011; 9: 49-59.
- 62 Maraspin V, Strle F: How do I manage tick bites and Lyme borreliosis in pregnant women? *Curr Probl Dermatol* 2009; 37:183-90:
- 63 Mathisen BA, Pitt BS: Laboratory identification of arthropod ectoparasites. *Clin Microb Rev* 2014; 27: 48-67.
- 64 Maurer F, Keller P, Beuret C et al.: Close geographic association of human neoehrlichiosis and tick populations carrying *candidatus neoehrlichia mikurensis* in Eastern Switzerland *Journal of Clinical Microbiology* 2012. DOI: 10.1128/JCM.01955-12
- 65 Medlock JM, Hansford KM, Mormane A et al.: Driving forces for changes in geographical distribution of *Ixodes ricinus* ticks in Europe. *Paras & Vect* 2013; 6: 1.
- 66 Merino O, Alberdi P, Pérez de la Lastra JM, de la Fuente J: Tick vaccines and the control of tick-borne pathogens. *Front Cell Infect Microbiol* 2013; 3: 30.
- 67 Mertens M, Schmidt K, Ozkul A, Groschup MH: The impact of Crimean-Congo hemorrhagic fever virus on public health. *Antiviral Res* 2013; 98: 248-60.
- 68 Ohashi N, Inayoshi M, Kitamura K, Kawamori F, Kawaguchi D, Nishimura Y et al.: Anaplasma phagocytophilum – infected ticks, Japan. *Emerg Infect Dis* 2005, 11: 1780-3.
- 69 Omeragic J: Ixodid ticks in Bosnia and Herzegovina. *Exp Appl Acarol* 2011; 53: 301-9.
- 70 Oteo J, Portillo A: Tick-borne rickettsioses in Europe. *Ticks & Tickb Dis* 2012; 3: 271-8.
- 71 Palomar AM, al.: Crimean-Congo hemorrhagic fever virus in ticks, Southwestern Europe 2010. *Emerg Infect Dis* 2012; 18: 1.
- 72 Pangrácová L, Derdáková M, Pekárik L, Hviščová I, Víchová B, Stanko M, Hlavatá H, Pet'ko B: *Ixodes ricinus* abundance and its infection with the tick-borne pathogens in urban and suburban areas of Eastern Slovakia. *Parasit Vectors* 2013; 6: 238.
- 73 Papa A, Chaligiannis I, Xanthopoulou K, Papioakim M, Papastasiou S, Storiaki S: Ticks parasitizing humans in Greece. *Vector Borne Zoonotic Disease* 2011, 11: 539-42.

- 74 Parola P, Paddock C, Socolovschi C: Update on tick-borne rickettsioses around the world: a geographical approach. *Clin Microbiol Rev* 2013; 23: 657-702.
- 75 Parola P, Paddock CD, Raoult D: Tick-borne rickettsioses around the world: emerging diseases challenging old concepts. *Clin Microbiol Rev* 2005; 18: 719-56.
- 76 Pattnaik P: Kyasanur Forest disease: an epidemiological view in India. *Rev Med Virol* 2006; 16: 151-65.
- 77 Pepin KM, Eisen R, Mead P, et al.: Geographic variation in the relationship between human Lyme Disease incidence and density of infected host-seeking *Ixodes scapularis* nymphs in the Eastern United States. *AM J Trop Hyg* 2012; 86: 1062-71.
- 78 Piesman J, Eisen L: Prevention of tick-borne diseases. *Ann Rev Ent* 2008; 53: 323-43.
- 79 Pretorius AM, Jensenius M, Clarke F, Ringertz SH: Repellent efficacy of DEET and KBR 3023 against *Amblyomma hebraeum* (Acari: Ixodidae). *J Med Entomol* 2003; 40: 245-8.
- 80 Reese SM, Dietrich G, Dolan MC, Sheldon SW, Piesman J, Petersen JM, Eisen RJ: Transmission dynamics of *Francisella tularensis* subspecies and clades by nymphal *Dermacentor variabilis* (Acari: Ixodidae). *Am J Trop Med Hyg* 2010; 83: 645-52.
- 81 Reese SM, Petersen J, Sheldon S, Dolan M, Dietrich G, Piesman J, Eisen RJ: Transmission efficiency of *Francisella tularensis* by adult American dog ticks (Acari: Ixodidae). *J Med Entomol* 2011; 48: 884-90.
- 82 Reye AL, Hübschen JM, Sausy A, Muller CP: Prevalence and seasonality of tick-borne pathogens in questing *Ixodes ricinus* ticks from Luxembourg. *Appl Environ Microbiol* 2010; 76: 2923-31.
- 83 Reye AL, Stegniy V, Mishayev NP, Velhin S, Hübschen JM, Ignatyev G, Muller CP: Prevalence of tick-borne pathogens in *Ixodes ricinus* and *Dermacentor reticulatus* ticks from different geographical locations in Belarus. *PLoS One* 2013; 8: e54476.
- 84 Rizzoli A, Hauffe HC, Carpi G, Vourc'h GI, Neeter M, Rosà R: Lyme borreliosis in Europe. *Euro-surveillance* 2011; 16: 19906.
- 85 Robert-Koch-Institut: Epidemiologisches Bulletin, 18/2013. Zugriff am 27.3.2014 von: www.rki.de/DE/Content/Infekt/EpidBull/Archiv/2013/Ausgaben/18_13.pdf?blob=publicationFile
- 86 Robert-Koch-Institut: Tick-borne encephalitis – risk areas in Germany. Epidemiologisches Bulletin 18/2013. 6 May 2013, Germany. Zugriff am 25.3.2014 von www.rki.de/DE/Content/Infekt/EpidBull/Archiv/2013/Ausgaben/18_13.pdf?blob=publicationFile
- 87 Robert-Koch-Institut: Zeckenübertragende Erkrankungen. Abgerufen am 25.3.2014 von: www.rki.de/DE/Content/InfAZ/Z/Zecken/Zecken_node.html
- 88 Salfsky B, He YX, Li J, Shibuya T, Ramaswamy K: Short report: study on the efficacy of a new long-lasting formulation of N, N-diethyl-m-toluamide (DEET) for the prevention of tick attachment. *Am J Trop Med Hyg* 2000; 62: 169-72.
- 89 Schorn S, Pfister K, Reulen H, Mahling M, Silaghi C: Occurrence of *Babesia* spp., *Rickettsia* spp. and *Bartonella* spp. in *Ixodes ricinus* in Bavarian public parks, Germany. *Parasit Vectors* 2011; 4: 135.
- 90 Sidi G, Davidovitch N, Balicer R, Anis E, Grotto I, Schatz E: Tickborne relapsing fever in Israel. *EID* 2005; 11; DOI: 10.3201/eid1111.050521
- 91 Smith G, Gemmill I, Moore KM: Management of tick bites and lyme disease during pregnancy. *J Obstet Gynaecol Can* 2012; 34: 1087-91.
- 92 Satz N: Klinik der Lyme-Borreliose. Huber, Bern 2009, ISBN-13: 978-3456847634.
- 93 Schreck CE, Snoddy EL, Mount GA: Permethrin and repellents as clothing impregnants for protection from the Lone Star tick. *J Econ Entomol* 1980; 73: 436-9.708-27.
- 94 Smieszko C, Halsband D, Fingerle V, Wilske B, Blech R: Arbeitsmedizinisches Untersuchungskonzept zur Lyme-Borreliose für Wald- und Forstarbeiter/innen in Rheinland-Pfalz. *Ergomed* 2007; 6: 174-82.
- 95 Sood S, Salzman, Johnson B, Happ C, Feig, Carmody L, Rubin L, Hilton E, Piesman: Duration of tick attachment as a predictor of the risk of Lyme disease in an area in which Lyme disease is endemic. *JID* 1997; 175: 996-9.
- 96 Sprong H, Trentelmann J, Seemann I et al.: ANTIDotE: anti-tick vaccines to prevent tick-borne diseases in Europe. *Parasites & Vectors* 2014; 7: 77.
- 97 Stjernberg L, Berglund J: Detecting ticks on light versus dark clothing. *Scand J Infect Dis* 2005; 37: 361-4.
- 98 Stricker RB, Johnson L: Lyme disease vaccination: safety first. *Lancet Infect Dis* 2014; 14: 12.
- 99 Süss J: Der Zeckenhärtetest. Abgerufen am 27.3.2014: www.zecken.de/forschung/zeckenhärtetest/
- 100 Swanson SJ, Neitzel D, Reed K, Belongie, E: Coinfections acquired from *Ixodes* gen PE: *Ixodes ricinus* ticks removed from humans in Northern Europe: seasonal pattern of infestation, attachment sites and duration of feeding. *Parasit Vectors* 2013; 6: 362.
- 101 Tersago K, Verhagen R, Vapalahti O, Heyman P, Ducoffre G, Leirs H: Hantavirus outbreak in Western Europe: reservoir host infection dynamics related to human disease patterns. *Epidemiol Infection* 2011; 139: 381-90.
- 102 Tick Encounter Resource Center: How to remove a tick. Abgerufen am 27.3.2014 auf: www.youtube.com/TickEncounter
- 103 Tick Encounter Resource Center: Tick Identification. University of Rhode Island, US 2014. Abgerufen am 27.3.2014 von: www.tickencounter.org/tick_identification
- 104 Tomanović S, Radulović Z, Masuzawa T, Milutinović M: Coexistence of emerging bacterial pathogens in *Ixodes ricinus* ticks in Serbia. *Parasite* 2010; 17: 211-7.
- 105 Vannier E, Krause PJ: Human babesiosis. *NEJM* 2012; 366: 2397-407.
- 106 De Vignes F, Piesman J, Heffernan R, Schulze T, Stafford K, Fish D: Effect of tick removal on transmission of *Borrelia burgdorferi* and *Ehrlichia phagocytophila* by *Ixodes scapularis* nymphs. *J Infect Dis* 2011; 183: 773-8.
- 107 Warshafsky S, Lee D, Francois L, Nowakowski J, Nadelman R, Wormser G: Efficacy of antibiotic prophylaxis for the prevention of Lyme disease: an updated systematic review and meta-analysis.
- 108 Wielinga P, Gaasenbeek C, Fonville M et al.: Longitudinal analysis of tick densities and *Borrelia*, *Anaplasma*, and *Ehrlichia* infections of *Ixodes ricinus* ticks in different habitat areas in the Netherlands. *Appl Env Microbiol* 2006; 72: 7594-601.
- 109 Wilhelmsson P, Lindblom P, Fryland L, Nyman D, Jaenson TG, Forsberg P, Lind-von: www.cdc.gov/ticks/diseases/
- 110 Witting-Bissinger BE, Stumpf CF, Donohue K, Apperson C, Roe M: Novel arthropod repellent, BioUD, is an efficacious alternative to Deet. *J Med Entomol* 2008; 45: 891-8.
- 111 Wormser G, Dattwyler R, Shapiro E et al.: The clinical assessment, treatment, and prevention of lyme disease, human granulocytic anaplasmosis, and babesiosis: Clinical practice guidelines by the infectious diseases society of America. *Clin Infect Dis* 2006; 43: 1089-134.
- 112 Wressnigg N, Pöllbauert E, Aichinger G, Portsmouth D, Löw-Baselli A, Fritsch S: Safety and immunogenicity of a novel multivalent OSpA vaccine against Lyme borreliosis in healthy adults:

- a double-blind, dose-escalation phase 1/2 trial. *The Lancet Infect Dis* 2013; 13: 680-9.
- 113 US Center for Disease Control. Tickborne Disease of the U.S. A reference Manual st Neteler M, Rosà R: Lyme borreliosis in Ticks. *Clin Microbiol Rev* 2006; 19: for Health Care providers. 1 ed, 2013 Europe. *Eurosurveillance* 2011, 16: 19906.
- 114 US-EPA, 2014. Choosing an insect repellent: how do I know which repellent is right for me? Abgerufen am 27.3.2014 von: <http://epa.gov/pesticides/insect/choose.htm>
- 115 Uspensky I: Tick pests and vectors (Acaria: Ixodidea) in European towns: introduction, persistence and management. *Ticks and Tickb Dis* 2014; 5: 41-7.
- 116 Zákovská A, Nejedzchlebová H, Bartoňková N, Rasovská T, Kuverová H, Norek A, Ovesná P: Activity of the tick *Ixodes ricinus* monitored in a suburban park in Brno, Czech Republic, in association with the evaluation of selected repellents. *J Vect Ecol* 2013; 2: 295-300.