

# BECKENBODENSCHÄDEN – SPÄTFOLGEN NACH VAGINALEN GEBURTEN

Hebammenforum 4/2022; 23: 23–28

- 1 Rortveit G, Daltveit AK, Hannestad YS et al.: Urinary incontinence after vaginal delivery or cesarean section. *N Engl J Med* 2003; 348: 900–907
- 2 MacLennan AH, Taylor AW, Wilson DH et al.: The prevalence of pelvic floor disorders and their relationship to gender, age, parity and mode of delivery. *BJOG* 2000; 107: 1460–1470
- 3 Rortveit G, Daltveit AK, Hannestad YS et al.: Vaginal delivery parameters and urinary incontinence: the Norwegian EPINCONT study. *Am J Obstet Gynecol* 2003; 189: 1268–1274
- 4 Lien KC, Mooney B, DeLancey JO et al.: Levator ani muscle stretch induced by simulated vaginal birth. *Obstet Gynecol* 2004; 103: 31–40
- 5 Baessler K, Schuessler B.: Childbirth-induced trauma to the urethral continence mechanism: review and recommendations. *Urology* 2003; 62: 39–44
- 6 Peschers U, Schaer G, Anthuber C et al.: Changes in vesical neck mobility following vaginal delivery. *Obstet Gynecol* 1996; 88: 1001–1006
- 7 Peschers UM, Schaer GN, DeLancey JO et al.: Levator ani function before and after childbirth. *Br J Obstet Gynaecol* 1997; 104: 1004–1008
- 8 O'Boyle AL, O'Boyle JD, Calhoun B et al.: Pelvic organ support in pregnancy and postpartum. *Int Urogynecol J Pelvic Floor Dysfunct* 2005; 16: 69–72; discussion 72
- 9 O'Boyle AL, O'Boyle JD, Ricks RE et al.: The natural history of pelvic organ support in pregnancy. *Int Urogynecol J Pelvic Floor Dysfunct* 2003; 14: 46–49
- 10 Metz M, Junginger B, Henrich W et al.: Development and Validation of a Questionnaire for the Assessment of Pelvic Floor Disorders and Their Risk Factors During Pregnancy and Post Partum. *Geburtshilfe Frauenheilkd* 2017; 77: 358–365
- 11 Kimmich N, Birri J, Zimmermann R et al.: Prediction of levator ani muscle avulsion by genital tears after vaginal birth—a prospective observational cohort study. *Int Urogynecol J* 2020; 31: 2361–2366
- 12 Albrich SB, Laterza RM, Skala C et al.: Impact of mode of delivery on levator morphology: a prospective observational study with three-dimensional ultrasound early in the postpartum period. *BJOG* 2012; 119: 51–60
- 13 Halle TK, Staer-Jensen J, Hilde G et al.: Change in prevalence of major levator ani muscle defects from 6 weeks to 1 year postpartum, and maternal and obstetric risk factors: A longitudinal ultrasound study. *Acta Obstet Gynecol Scand* 2020; 99: 1403–1410
- 14 Dietz HP, Lanzarone V: Levator trauma after vaginal delivery. *Obstet Gynecol* 2005; 106: 707–712
- 15 Delancey JO, Ashton-Miller JA: Pathophysiology of adult urinary incontinence. *Gastroenterology* 2004; 126: S23–32
- 16 Baessler K, O'Neill S, Maher C: Prevalence, incidence, progression and regression of pelvic organ prolapse in a community cohort: Results of a 5-year longitudinal study. *Neurourol Urodynam* 2006; 25: 520–522
- 17 Swift S, Woodman P, O'Boyle A et al.: Pelvic Organ Support Study (POSST): the distribution, clinical definition, and epidemiologic condition of pelvic organ support defects. *Am J Obstet Gynecol* 2005; 192: 795–806
- 18 Dietz HP, Franco AV, Shek KL et al.: Avulsion injury and levator hiatal ballooning: two independent risk factors for prolapse? An observational study. *Acta Obstet Gynecol Scand* 2012; 91: 211–214
- 19 Baessler K, Kempkensteffen C: Urogynäkologie meets Koloproktologie – Urogynecology meets colo-proctology: Befunde und Symptome – Signs and symptoms. *coloproctology* 2021; 43 (4)
- 20 Urbankova I, Grohregin K, Hanacek J et al.: The effect of the first vaginal birth on pelvic floor anatomy and dysfunction. *Int Urogynecol J* 2019; 30: 1689–1696
- 21 Kapoor DS, Thakar R, Sultan AH: Obstetric anal sphincter injuries: review of anatomical factors and modifiable second stage interventions. *Int Urogynecol J* 2015; 26: 1725–1734
- 22 Kearney R, Miller JM, Ashton-Miller JA et al.: Obstetric factors associated with levator ani muscle injury after vaginal birth. *Obstet Gynecol* 2006; 107: 144–149
- 23 Cattani L, Decoene J, Page AS et al.: Pregnancy, labour and delivery as risk factors for pelvic organ prolapse: a systematic review. *Int Urogynecol J* 2021; 32: 1623–1631
- 24 Friedman T, Eslick GD, Dietz HP: Delivery mode and the risk of levator muscle avulsion: a meta-analysis. *Int Urogynecol J* 2019; 30: 901–907
- 25 Rusavy Z, Paymova L, Kozerovsky M et al.: Levator ani avulsion: a Systematic evidence review (LASER). *BJOG* 2022; 129: 517–528
- 26 Baessler K, Aigmuller T, Albrich S et al.: Diagnosis and Therapy of Female Pelvic Organ Prolapse. Guideline of the DGGG, SGGG and OEGGG (S2e-Level, AWMF Registry Number 015/006, April 2016). *Geburtshilfe Frauenheilkd* 2016; 76: 1287–1301
- 27 Baessler K, Junginger B: Traditional Gymnastic Exercises for the Pelvic Floor Often Lead to Bladder Neck Descent – a Study Using Perineal Ultrasound. *Geburtshilfe Frauenheilkd* 2017; 77: 765–770
- 28 Baessler K, Heihoff-Klose A, Boelke S et al.: Does an early postpartum pessary treatment lead to remission of pelvic organ prolapse after vaginal birth? A pilot study. *Female Pelvic Med Reconstr Surg* 2019; 25, Issue 5S, S302: 302